


What is claimed is:

1. A compound according to Formula (I)



or a pharmaceutically acceptable salt or solvate thereof
wherein

V is -N(R¹)(R²) or OR⁴;

R⁴ is H, C₁₋₆alkyl, C₁₋₄haloalkyl or (C₁₋₄alkylene)₀₋₁R^{4'}

R^{4'} is C₃₋₇cycloalkyl, phenyl, adamantyl, quinuclidyl,

azabicyclo[2.2.1]heptyl, azetidiny, tetrahydrofuranyl, furanyl,
dioxolanyl, thienyl, tetrahydrothienyl, pyrrolyl, pyrrolinyl,
pyrrolidinyl, imidazolyl, imidazolinyl, imidazolidinyl,
pyrazolyl, pyrazolinyl, pyrazolidinyl, oxazolyl, isoxazolyl,
thiazolyl, isothiazolyl, oxadiazolyl, thiadiazolyl, triazolyl,
pyranyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl,
triazinyl, piperidinyl, piperazinyl, morpholino, thiomorpholino
or dioxolanyl; and

R^{4'} is optionally substituted with 1 or 2 of the same or different
substituents selected from the group consisting of halo,
cyano, C₁₋₄alkyl, C₁₋₄haloalkyl, C₁₋₄alkoxy, hydroxy,
amino, C₃₋₇cycloalkyl, C₁₋₃alkylamino, C₁₋₃dialkylamino, (C₁₋₃alkyl)₀₋₂ureido, phenyl and benzyl;
and

R^{4'} optionally contains 1 or 2 carbonyls wherein the carbon
atom of said carbonyl is a member of the ring structure
of R^{4'};

R¹ and R² are each independently L¹, wherein L¹ is selected from the
group consisting of H, C₁₋₆alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, -C₁₋₆alkylene-amino(C₁₋₃alkyl)₂, C₃₋₇cycloalkyl, phenyl, azetidiny,

adamantyl, tetrahydrofuranyl, furanyl, dioxolanyl, thienyl,
 tetrahydrothienyl, pyrrolyl, pyrrolinyl, pyrrolidinyl,
 imidazolyl, imidazoliny, imidazolidinyl, pyrazolyl,
 pyrazolinyl, pyrazolidinyl, oxazolyl, isoxazolyl, thiazolyl,
 isothiazolyl, oxadiazolyl, thiadiazolyl, triazolyl, pyranyl,
 pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, triazinyl,
 piperidinyl, piperazinyl, morpholino, thiomorpholino and
 dioxolanyl; and

R^1 and R^2 are each optionally and independently substituted

with 1 or 2 of the same or different substituents
 selected from the group consisting of halo, cyano, C_{1-4} alkyl,
 C_{1-4} haloalkyl, C_{1-4} alkoxy, hydroxy, amino, C_{3-7} cycloalkyl,
 C_{1-3} alkylamino, C_{1-3} dialkylamino, $(C_{1-3}$ alkyl)₀₋₂ureido,
 phenyl and benzyl;

R^1 and R^2 optionally and independently contain 1 or 2

carbonyls wherein the carbon atom of said carbonyl is a
 member of the heterocycles comprising R^1 and R^2 ;

wherein L^1 is optionally and independently interrupted from
 the nitrogen to which it is attached by L^2 , wherein L^2 is
 independently C_{1-3} alkylene or C_{1-3} alkylidene; or

R^1 and R^2 together with the nitrogen to which they are attached form
 X,

wherein X is azetidiny, pyrrolyl, pyrrolinyl, pyrrolidinyl,
 imidazoliny, imidazolidinyl, pyrazolinyl,
 pyrazolidinyl, azepiny, diazepiny, piperazinyl,
 piperidinyl, morpholino or thiomorpholino;

wherein X is optionally substituted with Y, wherein Y

is dioxolanyl, C_{1-9} alkyl, C_{2-9} alkenyl, C_{2-9} alkynyl,
 C_{1-4} alkylamino, C_{1-4} dialkylamino, C_{1-4} alkoxy,
 C_{3-7} cycloalkyl, phenyl, azetidiny, furanyl, thienyl,
 pyrrolyl, pyrrolinyl, pyrrolidinyl, pyrrolidinonyl,
 imidazolyl, imidazoliny, imidazolidinyl, imidazolidinonyl,

pyrazolyl, pyrazolinyl, pyrazolidinyl, azepinyl,
 diazepinyl, pyridyl, pyrimidinyl,
 dihydrobenzimidazolonyl, piperazinyl,
 piperidinyl, morpholino, benzothiazolyl,
 5 benzothiazolyl or thiomorpholino;
 and wherein X and Y are
 optionally interrupted with Z, wherein Z
 is -NHC(O)O- , -NHC(O)NH- ,
 NC(O)NH_2 , -NH- , $\text{-C}_{1-3}\text{alkylene-}$
 10 , $\text{-C}_{1-3}\text{alkylene-}$, $\text{-C}_{1-3}\text{alkenylene-}$
 $\text{NHC(O)O-C}_{1-3}\text{alkylene-}$; and
 optionally and independently substituted
 with 1 or 2 of the same or
 different substituents selected
 15 from the group consisting of $\text{C}_{1-4}\text{alkyl}$, amino, $\text{C}_{1-3}\text{alkylamino}$,
 $\text{-C}_{1-6}\text{alkylene-amino(C}_{1-3}\text{alkyl)}_2$,
 $\text{(C}_{1-3}\text{alkyl)}_{0-2}\text{ureido}$, phenyl and
 benzyl;
 20 X and Y optionally and independently
 contain 1 or 2 carbonyls wherein
 the carbon atom of said carbonyl
 is a member of the heterocycles
 comprising X and Y;
 25 provided that if X is substituted with Y, and if
 X and Y are not interrupted with Z, then
 X and Y optionally share one carbon
 atom and together form a
 spirocyclic moiety;
 30 Q is Q' or Q";
 wherein
 Q' is $(\text{S}^y)_s\text{R}^3$; and

Q" is $\text{NH}(\text{S}^y)_s\text{R}^3$, $\text{NHC}(\text{O})(\text{S}^y)_s\text{R}^3$, $\text{NHC}(\text{O})\text{O}(\text{S}^y)_s\text{R}^3$,
 $\text{NHC}(\text{O})\text{NH}(\text{S}^y)_s\text{R}^3$, $\text{O}(\text{S}^y)_s\text{R}^3$, $(\text{S}^y)_s\text{NHR}^3$,
 $(\text{S}^y)_s\text{NHC}(\text{O})\text{R}^3$, $(\text{S}^y)_s\text{NHC}(\text{O})\text{OR}^3$, $(\text{S}^y)_s\text{NHC}(\text{O})\text{NHR}^3$
or $(\text{S}^y)_s\text{OR}^3$;

wherein S^y is C₁₋₃alkylene or C₁₋₃alkylidene and s is 0 or 1;

U is CH₂ or NH;

provided that if Q is Q", then U is CH₂;

$$R^3 \text{ is } R^{3a} \text{ or } R^{3b}$$

wherein

 R^{3a} is

(i) a heterocycle having two fused rings with 5 to 7 members in each of said rings, said heterocycle containing one to five of the same or different heteroatoms selected from the group consisting of O, N and S and said heterocycle optionally containing 1 or 2 carbonyls wherein the carbon atom of said carbonyl is a member of said fused rings;

(ii) a 4 to 6 membered heterocycle containing one to three of the same or different heteroatoms selected from the group consisting of O, N and S, optionally containing 1 to 2 carbonyls, wherein the carbon atom of said carbonyl is a member of said 4 to 6 membered heterocycle;

(iii) C₃₋₇cycloalkyl;

(iv) carbazolyl, fluorenyl, phenyl, -O-phenyl, -O-C₁₋₄alkylene-phenyl, or naphthyl; or

(v) C₁₋₈alkyl, C₂₋₇alkenyl, -C(O)R^{3'}, CHC(O)O-R^{3'}, CH(CH₃)C(O)O-R^{3'}, -C(O)O-R^{3'} or C₂₋₇alkynyl; and

wherein R^{3a} is optionally substituted with 1 to 3 of the same or different substituents selected from the group consisting of benzyl, phenyl, -O-phenyl, -O-C₁-

3alkylenephenyl, -C₁₋₃alkylene-OC(O)-phenyl, cyano,
 amino, nitro, halo, C₁₋₆alkyl, C₁₋₃mono-bi-tri-haloalkyl,
 C₁₋₃mono-bi-tri-haloalkyloxy, (C₁₋₃alkyl)₁₋₂amine,
 -OR^{3'}, -C(O)R^{3'}, -C(O)O-R^{3'}, -O-C(O)R^{3'}, -N(R^{3'})₂,
 5 -C(O)N(R^{3'})₂, -N(R^{3'})C(O)(R^{3'})₂, -N(R^{3'})C(O)N(R^{3'})₂,
 -N(R^{3'})C(O)OR^{3'}, -O-C(O)N(R^{3'})₂, -N(R^{3'})SO₂R^{3'},
 -SO₂N(R^{3'})₂ and -SO₂R^{3'};
 R^{3'} is H or -C₁₋₆alkyl;
 provided that if R^{3a} is , -C(O)R^{3'}, CHC(O)O-R^{3'},
 10 CH(CH₃)C(O)O-R^{3'} or -C(O)O-R^{3'}, then said
 -C(O)R^{3'}, CHC(O)O-R^{3'}, CH(CH₃)C(O)O-R^{3'} or
 -C(O)O-R^{3'} are unsubstituted;
 R^{3b} is R^{3a} but is not phenyl, 1-naphthyl, 2-naphthyl, 1,2,3,4-
 tetrahydro-1-naphthyl, 1H-indol-3-yl, 1-methyl-1H-
 15 indol-3-yl, 1-formyl-1H-indol-3-yl, 1-(1,1-
 dimethylethoxycarbonyl)-1H-indol-3-yl, 4-imidazolyl,
 1-methyl-4-imidazolyl, 2-thienyl, 3-thienyl, thiazolyl,
 1H-indazol-3-yl, 1-methyl-1H-indazol-3-yl,
 benzo[b]fur-3-yl, benzo[b]thien-3-yl, pyridinyl,
 20 quinolinyl or isoquinolinyl; optionally substituted in
 the carbon skeleton with mono-, di- or trisubstituted by
 fluorine, chlorine or bromine atoms or by branched or
 unbranched alkyl groups, C₃₋₈-cycloalkyl groups,
 phenylalkyl groups, alkenyl, alkoxy, phenyl,
 25 phenylalkoxy, trifluoromethyl, alkoxycarbonylalkyl,
 carboxyalkyl, alkoxycarbonyl, carboxy,
 dialkylaminoalkyl, dialkylaminoalkoxy, hydroxy, nitro,
 amino, acetylamino, propionylamino, benzoyl,
 benzoylamino, benzoylmethylamino,
 30 methylsulphonyloxy, aminocarbonyl,
 alkylaminocarbonyl, dialkylaminocarbonyl, alkanoyl,
 cyano, tetrazolyl, phenyl, pyridinyl, thiazolyl, furyl,
 trifluoromethoxy, trifluoromethylthio,

trifluoromethylsulphinyl- or trifluoromethylsulphonyl groups;

wherein said substituents may be the same or different
and the above-mentioned benzoyl,

benzoylamino- and benzoylmethylamino groups may in turn additionally be substituted in the phenyl moiety by a fluorine, chlorine or bromine atom, or by an alkyl, trifluoromethyl, amino or acetyl amino group;

10 D is O, NCN or NSO₂C₁₋₃alkyl;

A is C, N or CH;

m and n are independently 0, 1 or 2;

provided that

if m and n are 0, then A is not N :

15 if m is 2, then n is not 2; or

if n is 2, then m is not 2:

E is N, CH or C:

p is 0 or 1;

if p is 1, then G, J and E together form A^x or A^y ;

20 A^x is a fused heterocycle having two fused rings with 5 to 7 members in each of said rings, said heterocycle containing one to four of the same or different heteroatoms selected from the group consisting of O, N and S; and

25 optionally containing 1 or 2 carbonyls wherein the carbon atom of said carbonyl is a member of said fused heterocycle;

30 A^y is a 4 to 6 membered heterocycle containing one to three
heteroatoms selected from the group consisting of O, N
and S; and

optionally containing 1 to 2 carbonyls, wherein the carbon atom of said carbonyl is a member of said 4 to 6 membered heterocycle;

wherein A^x and A^y are optionally substituted with C₁₋₄alkyl, C₁₋₄alkoxy, C₁₋₄haloalkyl, cyano, C₃₋₇cycloalkyl, phenyl, halophenyl, halo, furanyl, pyrrolyl, pyrrolinyl, pyrrolidinyl, imidazolyl, imidazolinyl, imidazolidinyl, pyrazolyl, pyrazolinyl, pyrazolidinyl, pyridyl, pyrimidinyl, piperidinyl, piperazinyl or morpholino; or

if p is 0 such that G and J are each attached to A, then A is C, and G, J and A together form a spirocyclic ring system with said rings of said system containing A and wherein G, J and A together are GJA' or GJA";

wherein

GJA' is A^x or A^y; and

GJA" is A^x or A^y;

provided that

A^x is not a 1,3-diaza-fused heterocycle;

and

A^y is not a 1,3-diaza-heterocycle;

and further provided that

if Q is Q", then R³ is R^{3a}; and

if Q is Q', then

R³ is R^{3b}; or

R³ is R^{3a}, p is 0 and G, J and A together form GJA".

2. A compound according to claim 1, wherein Q is Q' and R³ is R^{3b}.

3. A compound according to claim 1, wherein Q is Q', R³ is R^{3a} and p is 0 such that G, J and A together form GJA".

4. A compound according to claims 2 or 3, wherein Q is Q' and U is CH₂.

5. A compound according to claims 2 or 3, wherein Q is Q' and U is NH.

6. A compound according to claim 1, wherein Q is Q".
7. A compound according to claim 6, wherein Q" is $\text{NH}(\text{S}^y)_s\text{R}^3$.
- 5 8. A compound according to claim 6, wherein Q" is $\text{NHC}(\text{O})(\text{S}^y)_s\text{R}^3$.
9. A compound according to claim 6, wherein Q" is $\text{NHC}(\text{O})\text{O}(\text{S}^y)_s\text{R}^3$.
- 10 10. A compound according to claim 6, wherein Q" is $\text{NHC}(\text{O})\text{NH}(\text{S}^y)_s\text{R}^3$.
11. A compound according to claim 6, wherein Q" is $\text{O}(\text{S}^y)_s\text{R}^3$.
12. A compound according to claim 6, wherein Q" is $(\text{S}^y)_s\text{NHR}^3$.
- 15 13. A compound according to claim 6, wherein Q" is $(\text{S}^y)_s\text{NHC}(\text{O})\text{R}^3$.
14. A compound according to claim 6, wherein Q" is $(\text{S}^y)_s\text{NHC}(\text{O})\text{OR}^3$.
15. A compound according to claim 6, wherein Q" is $(\text{S}^y)_s\text{NHC}(\text{O})\text{NHR}^3$.
- 20 16. A compound according to claim 6, wherein Q" is $(\text{S}^y)_s\text{OR}^3$.
17. A compound according to claim 1, wherein V is OR^4 .
- 25 18. A compound according to claim 1, wherein V is $-\text{N}(\text{R}^1)(\text{R}^2)$.
19. A compound according to claim 1, wherein R^4 is H, C_{1-6} alkyl or $(\text{C}_{1-4}\text{alkylene})_{0-1}\text{R}^{4'}$ and $\text{R}^{4'}$ is C_{3-7} cycloalkyl.
- 30 20. A compound according to claim 1, wherein V is $-\text{N}(\text{R}^1)(\text{R}^2)$ and
 R^1 and R^2 are each independently L^1 , wherein L^1 is selected from the
group consisting of H, C_{1-6} alkyl, $-\text{C}_{1-6}\text{alkylene-amino}(\text{C}_{1-3}\text{alkyl})_2$, C_{3-7} cycloalkyl, phenyl, azetidiny, adamantyl,

5 tetrahydrofuranyl, furanyl, dioxolanyl, thienyl,
 tetrahydrothienyl, pyrrolyl, pyrrolinyl, pyrrolidinyl,
 imidazolyl, imidazoliny, imidazolidinyl, pyrazolyl,
 pyrazolinyl, pyrazolidinyl, oxazolyl, isoxazolyl, thiazolyl,
 isothiazolyl, oxadiazolyl, thiadiazolyl, triazolyl, pyranyl,
 pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, triazinyl,
 piperidinyl, piperazinyl, morpholino, thiomorpholino and
 dioxolanyl; or

10 R^1 and R^2 together with the nitrogen to which they are attached form
 X,

wherein X is azetidiny, pyrroliny, pyrrolidinyl, imidazoliny,
 imidazolidinyl, pyrazolinyl, pyrazolidinyl, azepiny,
 diazepiny, piperazinyl, piperidinyl, morpholino or
 thiomorpholino;

15 wherein X is substituted with Y, wherein Y is
 dioxolanyl, C_{1-4} alkyl, C_{1-4} alkoxy, C_{3-7} cycloalkyl, phenyl, azetidiny, pyrrolyl,
 pyrroliny, pyrrolidinyl, pyrrolidinonyl,
 imidazolyl, imidazoliny, imidazolidinyl,
 20 imidazolidinonyl, pyrazolyl, pyrazolinyl,
 pyrazolidinyl, azepiny, diazepiny, pyridyl,
 pyrimidinyl, dihydrobenzimidazolonyl,
 piperazinyl, piperidinyl, morpholino,
 benzothiazolyl, benzisothiazolyl or
 25 thiomorpholino;
 and wherein X and Y optionally share one
 carbon atom and together form a
 spirocyclic moiety.

30 21. A compound according to claim 1, wherein wherein V is $-N(R^1)(R^2)$ and
 R^1 and R^2 are each independently L^1 , wherein L^1 is selected from the
 group consisting of H, C_{1-6} alkyl, or

R¹ and R² together with the nitrogen to which they are attached form X,

wherein X is piperidinyl or morpholino;

wherein X is substituted with Y, wherein Y is

dioxolanyl, C₁₋₄alkyl or piperidinyl;

and wherein X and Y optionally share one carbon atom and together form a spirocyclic moiety.

22. A compound according to claim 1, wherein V is -N(R¹)(R²) and wherein R¹ and R² are each independently L¹, wherein L¹ is selected from the group consisting of H, C₁₋₆alkyl.

23. A compound according to claim 1, wherein V is -N(R¹)(R²) and wherein R¹ and R² together with the nitrogen to which they are attached form X,

wherein X is piperidinyl or morpholino;

wherein X is substituted with Y, wherein Y is

dioxolanyl, C₁₋₄alkyl or piperidinyl;

and wherein X and Y optionally share one carbon atom and together form a spirocyclic moiety.

24. A compound according to claim 1, wherein V is -N(R¹)(R²) and wherein R¹ and R² together with the nitrogen to which they are attached form X,

wherein X is piperidinyl;

wherein X is substituted with Y, wherein Y is piperidinyl.

25. A compound according to claim 1, wherein V is -N(R¹)(R²) and wherein R¹ and R² together with the nitrogen to which they are attached form X,

wherein X is morpholino;

wherein X is substituted with Y, wherein Y is C₁₋₄alkyl.

26. A compound according to claim 1, wherein V is $-N(R^1)(R^2)$ and wherein
 R^1 and R^2 together with the nitrogen to which they are attached form
X,
5 wherein X is piperidinyl;
wherein X is substituted with Y, wherein Y is C_{1-4} alkyl.
27. A compound according to claim 1, wherein V is $-N(R^1)(R^2)$ and wherein
 R^1 and R^2 together with the nitrogen to which they are attached form
10 X,
wherein X is piperidinyl;
wherein X is substituted with Y, wherein Y is
dioxolanyl;
and wherein X and Y share one carbon atom and
15 together form a spirocyclic moiety.
28. A compound according to claim 1, wherein R^3 is R^{3a} and R^{3a} is substituted or
unsubstituted phenyl, hydroxyphenyl, azetidiny, naphthyl, C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl,
20 dihydroquinolinonyl, hydroquinolinonyl, quinolinyl,
dihydroisoquinolinonyl, hydroisoquinolinonyl, isoquinolinyl,
dihydroquinazolinonyl, hydroquinazolinonyl, quinazolinyl, dihydroquinoxalinonyl,
hydroquinoxalinonyl, quinoxalinyl, benzimidazolyl, indazolyl,
dihydrobenzimidazolonyl, hydrobenzimidazolonyl, benzimidazoliny, dihydro-
benzthiazolonyl, hydrobenzthiazolonyl, benzthiazolyl, dihydrobenzoxazolyl,
25 benzotriazolyl, dihydrobenzothiophenonyl, hydrobenzothiophenonyl, benzothienyl,
dihydrobenzofuranonyl, hydrobenzofuranonyl, benzofuranyl, benzdioxolanyl,
dihydroindolonyl, hydroindolonyl, indolyl, indoliziny, isoindolyl, indoliny,
indazolyl, pyrazolyl, pyrazoliny, pyrazolidiny, furanyl, thienyl, pyrrolyl, pyrroliny,
pyrrolidiny, imidazolyl, imidazoliny, imidazolidiny, pyridyl, puriny, carbazolyl,
30 pyrimidiny, piperidiny, triazolopyrimidiny, tetrahydropyrazolopyridiny,
piperaziny or morpholino.

29. A compound according to claim 1, wherein R^3 is R^{3b} and R^{3b} is substituted or unsubstituted dihydrobenzimidazolonyl, hydrobenzimidazolonyl, benzimidazoliny, dihydro-benzthiazolonyl, hydrobenzthiazolonyl, benzthiazolyl, dihydrobenzothiophenonyl, hydrobenzothiophenonyl, dihydrobenzofuranonyl, hydrobenzofuranonyl, 1H-indazol-5-yl, benzdioxolanyl, dihydrobenzoxazolyl, benzotriazolyl, dihydroindolonyl, hydroindolonyl, indoliziny, isoindolyl, indoliny, pyrazolyl, pyrazoliny, pyrazolidiny, furanyl, pyrrolyl, pyrroliny, pyrrolidiny, imidazoliny, imidazolidiny, puriny, carbazolyl, pyrimidiny, piperidiny, piperaziny or morpholino; optionally substituted as provided in the first embodiment of the first aspect.
30. A compound according to claim 1, wherein D is O and m and n are each 1.
31. A compound according to claim 1, wherein p is 1; and G, J and E together form A^x or A^y .
32. A compound according to claim 1, wherein p is 0 such that G and J are each attached to A, then A is C and G, J and A together form a spirocyclic ring system with said rings of said system containing A and wherein G, J and A together are GJA' or GJA".
33. A compound according to claim 1, wherein p is 0 such that G and J are each attached to A, then A is C and G, J and A together form a spirocyclic ring system with said rings of said system containing A and wherein G, J and A together are GJA'.
34. A compound according to claim 1, wherein p is 0 such that G and J are each attached to A, then A is C and G, J and A together form a spirocyclic ring system with said rings of said system containing A and wherein G, J and A together are GJA".
35. A compound according to claim 1, wherein p is 0 such that G and J are each attached to A, then G, J and A together form a spirocyclic ring system with said rings

of said system containing A and wherein G, J and A together are form a heterocycle selected from the group consisting of imidazolinonyl, imidazolidinonyl, dihydroquinolinonyl, dihydroisoquinolinonyl, dihydroquinazolinonyl, dihydroquinoxalinonyl, dihydrobenzoxazinyl, hydrobenzoxazinyl, dihydrobenzoxazinonyl, dihydrobenzimidazolonyl, dihydrobenzimidazolyl, dihydrobenzthiazolonyl, dihydrobenzthiazolyl, dihydrobenzothiophenonyl, dihydrobenzofuranonyl, dihydroindolonyl, indoliny, pyrazoliny, pyrazolidiny, pyrroliny, pyrrolidiny, imidazolinyl, imidazolidiny, piperidiny, piperazinyl and morpholino; wherein said heterocycle is optionally substituted with C₁₋₄alkyl, C₁₋₄alkoxy, C₁₋₄haloalkyl, cyano, C₃₋₇cycloalkyl, phenyl, halophenyl, furanyl, pyrrolyl, pyrroliny, pyrrolidiny, imidazolyl, imidazolinyl, imidazolidiny, pyrazolyl, pyrazoliny, pyrazolidiny, pyridyl, pyrimidiny, piperidiny, piperazinyl or morpholino.

36. A compound selected from the group consisting of (±)-3-(1*H*-Indazol-5-yl)-2-{{[4-(2-oxo-1,4-dihydro-2*H*-quinazolin-3-yl)-piperidine-1-carboxyl]-amino}-propionic acid;
 (*R*)-4-(2-Oxo-1,4-dihydro-2*H*-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(1*H*-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;
 (±)-4-(2-Oxo-2,3-dihydro-benzoimidazol-1-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(1*H*-indol-5-ylmethyl)-2-oxo-ethyl]-amide;
 (±)-4-(2-Oxo-2,3-dihydro-benzoimidazol-1-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(1*H*-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;
 (±)-4-(2-Oxo-1,4-dihydro-2*H*-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(1*H*-indol-5-ylmethyl)-2-oxo-ethyl]-amide;
 (±)-4-(2-Oxo-1,4-dihydro-2*H*-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(1*H*-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;
 (±)-4-(2-Oxo-2,3-dihydro-benzoimidazol-1-yl)-piperidine-1-carboxylic acid [1-(1*H*-indol-5-ylmethyl)-2-(4-isobutyl-piperazin-1-yl)-2-oxo-ethyl]-amide;
 (±)-4-(2-Oxo-2,3-dihydro-benzoimidazol-1-yl)-piperidine-1-carboxylic acid [2-(1,4-dioxa-8-aza-spiro[4.5]dec-8-yl)-1-(1*H*-indol-5-ylmethyl)-2-oxo-ethyl]-amide;
 (±)-4-(2-Oxo-2,3-dihydro-benzoimidazol-1-yl)-piperidine-1-carboxylic acid [1-(1*H*-indazol-5-ylmethyl)-2-(4-isobutyl-piperazin-1-yl)-2-oxo-ethyl]-amide;

- (±)-4-(2-Oxo-2,3-dihydro-benzoimidazol-1-yl)-piperidine-1-carboxylic acid [2-(1,4-dioxo-8-aza-spiro[4.5]dec-8-yl)-1-(1H-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-(1,4-dioxo-8-aza-spiro[4.5]dec-8-yl)-1-(1H-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 5 (±)-3-(7-Methyl-1H-indazol-5-yl)-2-{[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid methyl ester;
- 3-(7-Methyl-1H-indazol-5-yl)-2-[2',3'-dihydro-2'-oxospiro-(piperidine-4,4'-(1H)-quinazoline)carbonyl amino]-propionic acid methyl ester;
- 10 3-(7-Methyl-1H-indazol-5-yl)-2-(1,2-dihydro-2-oxospiro-4H-3,1-dihydro-benzoxazine-4'4-piperidine-carbonylamino)-propionic acid methyl ester;
- (±)-3-(7-Methyl-1H-indazol-5-yl)-2-{[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-
- 15 [1,4']bipiperidiny-1'-yl-1-(7-methyl-1H-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(7-methyl-1H-indazol-5-ylmethyl)-2-oxo-2-piperidin-1-yl-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-dimethylcarbamoyl-2-(7-methyl-1H-indazol-5-yl)-ethyl]-amide;
- 20 (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(7-methyl-1H-indazol-5-ylmethyl)-2-(4-methyl-piperazin-1-yl)-2-oxo-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(7-methyl-1H-indazol-5-ylmethyl)-2-oxo-2-pyrrolidin-1-yl-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(7-
- 25 methyl-1H-indazol-5-ylmethyl)-2-oxo-2-(4-pyridin-4-yl-piperazin-1-yl)-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(7-methyl-1H-indazol-5-ylmethyl)-2-oxo-2-(4-pyridin-2-yl-piperazin-1-yl)-ethyl]-amide;
- 30 (±)-1-(7-Methyl-1H-indazol-5-ylmethyl)-2-[1,4-bipiperidin]-1-yl-2-oxoethyl]-2',3'-dihydro-2'-oxospiro-[piperidine-4,4'-(1H)-quinazoline]-1-carboxamide;

- (±)-1-(7-Methyl-1H-indazol-5-ylmethyl)-2-(1-piperidinyl)-2-oxoethyl]-2',3'-dihydro-2'-oxospiro-[piperidine-4,4'-(1H)-quinazoline]-1-carboxamide;
- (±)-1-(7-Methyl-1H-indazol-5-ylmethyl)-2-[1,4-bipiperidin]-1-yl-2-oxoethyl]-1',2'-dihydro-2'--oxospiro-[4H-3',1-benzoxazine-4,4'-piperidine]-1-carboxamide;
- 5 (±)-1-(7-Methyl-1H-indazol-5-ylmethyl)-2-(1-piperidinyl)-2-oxoethyl]-1',2'-dihydro-2'--oxospiro-[4H-3',1-benzoxazine-4,4'-piperidine]-1-carboxamide;
- (±)- [1-Dimethylcarbamoyl-2-(7-methyl-1H-indazol-5-yl)-ethyl]-1',2'-dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidine]-1-carboxamide;
- (±)- [1-(2-adamantyl-carbamoyl)-2-(7-methyl-1H-indazol-5-yl)-ethyl]-1',2'-dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidine]-1-carboxamide;
- 10 (±)-1',2'-Dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidine-1-carboxylic acid [1-(7-methyl-1H-indazol-5-ylmethyl)-2-oxo-2-(4-pyridin-4-yl-piperazin-1-yl)-ethyl]-amide;
- (±)-1',2'-Dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidine-1-carboxylic acid {2-(7-methyl-1H-indazol-5-yl)-1-[(pyridin-4-ylmethyl)-carbamoyl]-ethyl}-amide;
- 15 (±)- 1-(7-Methyl-1H-indazol-5-ylmethyl)-2-[1,4-bipiperidin]-1-yl-2-oxoethyl]3',4'-dihydro-2'-oxospiro-[piperidine-4,4'-(1H)-quinoline]-1-carboxamide;
- (±)- 1-(7-Methyl-1H-indazol-5-ylmethyl)-2-[1-piperidinyl]-2-oxoethyl]3',4'-dihydro-2'-oxospiro-[piperidine-4,4'-(1H)-quinoline]-1-carboxamide;
- 20 (±)- [1-Dimethylcarbmoyl-2-(7-methyl-1H-indazol-5-yl)-ethy]l-3',4'-dihydro -2'-oxospiro- [piperidine-4,4'-(1H)-quinoline]-1-carboxamide;
- (±)-4-Oxo-2-phenyl-1,3,8-triaza-spiro[4,5]dec-1-ene-8-carboxylic acid {1-(7-methyl-1H-indazol-5- yl methyl)-2-[1,4]bipiperidinyl-1'-yl-2-oxo-ethyl}-amide;
- 25 (±)-4-Oxo-2-phenyl-1,3,8-triaza-spiro[4,5]dec-1-ene-8-carboxylic acid {1-(7-methyl-1H-indazol-5- yl methyl)-2-[1-piperidinyl]-2-oxo-ethyl}-amide;
- (±)-4-Oxo-2-phenyl-1,3,8-triaza-spiro[4,5]dec-1-ene-8-carboxylic acid[1-dimethylcarbamoyl -2-(7-methyl-1H-indazol-5- yl)-ethyl]amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid {1-(1H-indazol-5-ylmethyl)-2-oxo-2-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-ethyl}-amide;
- 30

- 4-(3-(1H-Indazol-5-yl)-2-{{[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionyl)-piperazine-1-carboxylic acid benzyl ester;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(1H-indazol-5-ylmethyl)-2-oxo-2-piperazin-1-yl-ethyl]-amide;
- 5 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid {1-(1H-indazol-5-ylmethyl)-2-[4-(2-methyl-butyl)-piperazin-1-yl]-2-oxo-ethyl}-amide;
- 3-(7-Methyl-1H-indazol-5-yl)-2-{{[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid cyclohexyl ester;
- (±)-3-(7-Chloro-1H-indazol-5-yl)-2-{{[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid methyl ester;
- 10 (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-chloro-1H-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- (±)-3-(7-Ethyl-1H-indazol-5-yl)-2-{{[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid methyl ester;
- 15 (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-ethyl-1H-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- (R)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(2-methyl-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 20 (R)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-2-oxo-1-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-ethyl]-amide;
- (R)-3-(1H-Benzotriazol-5-yl)-2-{{[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid methyl ester;
- 25 (R)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(1H-benzotriazol-5-ylmethyl)-2-[1,4']bipiperidinyl-1'-yl-2-oxo-ethyl]-amide;
- (R)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-2-oxo-1-(2-oxo-2,3-dihydro-1H-indol-5-ylmethyl)-ethyl]-amide;
- 30 (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(4-benzyloxy-2-oxo-2H-pyridin-1-ylmethyl)-2-[1,4']bipiperidinyl-1'-yl-2-oxo-ethyl]-amide;

- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(4-hydroxy-2-oxo-2H-pyridin-1-ylmethyl)-2-oxo-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(4-hydroxy-piperidin-1-ylmethyl)-2-oxo-ethyl]-amide;
- 5 (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-2-oxo-1-(1,4,6,7-tetrahydro-pyrazolo[4,3-c]pyridin-5-ylmethyl)-ethyl]-amide;
- (±)-3-(7,7-Dimethyl-1,4,6,7-tetrahydro-pyrazolo[4,3-c]pyridin-5-yl)-2-{[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid
- 10 methyl ester;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7,7-dimethyl-1,4,6,7-tetrahydro-pyrazolo[4,3-c]pyridin-5-ylmethyl)-2-oxo-ethyl]-amide;
- 15 (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(6-methoxy-pyridin-3-ylmethyl)-2-oxo-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(2-methoxy-pyrimidin-5-ylmethyl)-2-oxo-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(6-benzyloxy-pyridin-3-ylmethyl)-2-[1,4']bipiperidinyl-1'-yl-2-oxo-ethyl]-amide;
- 20 (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-2-oxo-1-(6-oxo-1,6-dihydro-pyridin-3-ylmethyl)-ethyl]-amide;
- (R)-1-Oxo-3,4-benzo-2,9-diaza-spiro [5.5] undec-3-ene-9-carboxylic acid (1-benzo
- 25 [b] thiophen-3-ylmethyl-2-[1,4'] bipiperidinyl-1'-yl-2-oxo-ethyl)-amide;
- N-[(1R)-1-(Benzo[b]thien-3-ylmethyl)-2-[1,4-bipiperidin]-1-yl-2-oxoethyl]-3',4'-dihydro-2-oxospiro-[piperidine-4,4'(1H)-quinoline]-1-carboxamide;
- N-[(1R)-1-(Benzo[b]thien-3-ylmethyl)-2-[1,4-bipiperidin]-1-yl-2-oxoethyl]-2',3'-dihydro-1-oxospiro-[piperidine-4,4'(1H)-isoquinoline]-1-carboxamide;
- 30 N-[(1R)-1-(Benzo[b]thien-3-ylmethyl)-2-[1,4'-bipiperidin]-1'-yl-2-oxoethyl]-1,2-dihydro-2-oxospiro-[4H-3,1-benzoxazine-4,4'-piperidine]-1'-carboxamide;
- 1-[1,4']Bipiperidinyl-1'-yl-2-(3(S)-Benzo[b]thiophen-3-ylmethyl)-4-[1',2'-dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidinyl]-butane-1,4-dione];

- (±)-2-(7-Methyl-1H-indazol-5-ylmethyl)-4-oxo-4-[1',2'-dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidinyl]-butyric acid methyl ester;
- (±)-2-(7-Methyl-1H-indazol-5-ylmethyl)-4-oxo-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butyric acid methyl ester;
- 5 (±)-1-[1,4']Bipiperidinyl-1'-yl-2-(7-methyl-1H-indazol-5-ylmethyl)-4-[1',2'-dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidinyl]-butane-1,4-dione;
- (±)-1-[1,4']Bipiperidinyl-1'-yl-2-(7-methyl-1H-indazol-5-ylmethyl)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- (±)-1-(1,4-Dioxa-8-aza-spiro[4.5]dec-8-yl)-2-(7-methyl-1H-indazol-5-ylmethyl)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- 10 (±)-1-(1,4-Dioxa-8-aza-spiro[4.5]dec-8-yl)-2-(7-methyl-1H-indazol-5-ylmethyl)-4-[1',2'-dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidinyl]-butane-1,4-dione;
- (±)-*N,N*-Dimethyl-2-(7-methyl-1H-indazol-5-ylmethyl)-4-oxo-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butyramide;
- 15 (±)-1-(2,6-Dimethyl-morpholin-4-yl)-2-(7-methyl-1H-indazol-5-ylmethyl)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- (±)-2-(7-Methyl-1H-indazol-5-ylmethyl)-1-(4-methyl-piperidin-1-yl)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- 20 (±)-2-(7-Methyl-1H-indazol-5-ylmethyl)-1-morpholin-4-yl-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- (±)-*N,N*-Dimethyl-2-(7-methyl-1H-indazol-5-ylmethyl)-4-oxo-4-[1',2'-dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidinyl]-butyramide;
- (±)-2-(7-Methyl-1H-indazol-5-ylmethyl)-1-(piperidin-1-yl)-4-[1',2'-dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidinyl]-butane-1,4-dione;
- 25 (±)-2-(7-Methyl-1H-indazol-5-ylmethyl)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-1-piperidin-1-yl-butane-1,4-dione;
- (±)-1-[1,4']Bipiperidinyl-1'-yl-2-(1H-indazol-5-ylmethyl)-4-[1',2'-dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidinyl]-butane-1,4-dione;
- 30 (±)-1-(1,4-Dioxa-8-aza-spiro[4.5]dec-8-yl)-2-(1H-indazol-5-ylmethyl)-4-[1',2'-dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidinyl]-butane-1,4-dione;
- (±)-1-(1,4-Dioxa-8-aza-spiro[4.5]dec-8-yl)-2-(1H-indazol-5-ylmethyl)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;

- (±)-2-(1H-Indazol-5-ylmethyl)-N,N-dimethyl-4-oxo-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butyramide;
- (±)-5-{2-([1,4']Bipiperidinyl-1'-carbonyl)-4-oxo-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butyl}-indazole-1-carboxylic acid *tert*-butyl ester;
- 5 (±)-2-(7-Methyl-1H-indazol-5-ylmethyl)-4-oxo-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-N-prop-2-ynyl-butylamide;
- (L)-{1-([1,4']Bipiperidinyl-1'-carbonyl)-3-oxo-3-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-propyl}-carbamic acid *tert*-butyl ester;
- (L)-1-[1,4']Bipiperidinyl-1'-yl-2-(1H-indol-5-ylamino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- 10 (L)-1-[1,4']Bipiperidinyl-1'-yl-2-(5-chloro-2-nitro-phenylamino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- (L)-1-[1,4']Bipiperidinyl-1'-yl-2-(6-chloro-pyrimidin-4-ylamino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- 15 (L)-1-[1,4']Bipiperidinyl-1'-yl-2-(2-chloro-9H-purin-6-ylamino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- (L)-2-(4-Amino-6-methyl-5-nitro-pyrimidin-2-ylamino)-1-[1,4']bipiperidinyl-1'-yl-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- (L)-1-[1,4']Bipiperidinyl-1'-yl-2-(4,5-diamino-6-methyl-pyrimidin-2-ylamino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- 20 (L)-1-[1,4']Bipiperidinyl-1'-yl-2-(7-methyl-1H-[1,2,3]triazolo[4,5-d]pyrimidin-5-ylamino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- (L)-1-[1,4']Bipiperidinyl-1'-yl-2-((2'-pyridyl)-methyl-amino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- 25 (L)-1-[1,4']Bipiperidinyl-1'-yl-2-((5'-indazolyl)-methyl-amino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- (L)-1-[1,4']Bipiperidinyl-1'-yl-2-((3'-methyl-phenyl)-methyl-amino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- 30 (L)-1-[1,4']Bipiperidinyl-1'-yl-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-2-(pyrimidin-4-ylamino)-butane-1,4-dione;
- (L)-1-[1,4']Bipiperidinyl-1'-yl-2-(4-hydroxy-cyclohexylamino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;

(L)-1-[1,4']Bipiperidiny-1'-yl-2-[(1H-imidazol-4-ylmethyl)-amino]-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;

(L)-N-{1-([1,4']Bipiperidiny-1'-carbonyl)-3-oxo-3-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-propyl}-4-methoxy-benzamide;

5 (L)-N-{1-([1,4']Bipiperidiny-1'-carbonyl)-3-oxo-3-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-propyl}-4-hydroxy-benzamide;


(L)-1H-Pyrazole-3-carboxylic acid {1-([1,4']bipiperidiny-1'-carbonyl)-3-oxo-3-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-propyl}-amide; and

10 (±)-1-[1,4']Bipiperidiny-1'-yl-2-(1H-indazol-5-ylamino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;


or pharmaceutically acceptable salts and solvates thereof.

37. A compound according to claim 1 wherein R³ is R^{3b} and R^{3b} is

15 1H-Indol-5-yl




1H-Indazol-5-yl




20


1H-Benzotriazol-5-yl



1,3-Dihydro-indol-2-on-5-yl




3H-Benzooxazol-2-on-6-yl




5

1,3-Dihydro-benzoimidazol-2-on-5-yl




1-Methyl-1,3-dihydro-benzoimidazol-2-on-6-yl




10


3,4-Dihydro-1H-quinolin-2-on-6-yl



1,4-Dihydro-benzo[d][1,3]oxazin-2-on-6-yl




3,4-Dihydro-1H-quinazolin-2-on-6-yl




5

3-Methyl-3,4-dihydro-1H-quinazolin-2-on-6-yl



; or

10 4H-Benzo[1,4]oxazin-3-on-7-yl



wherein T^y is H, C₁₋₄alkyl, F, Cl, Br or nitrile.

- 15 38. A compound selected from the group consisting of
 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-
 [1,4']bipiperidiny-1'-yl]-1-(7-bromo-1H-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;

- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-oxo-1-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-(4-pyridin-4-yl-piperazin-1-yl)-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-oxo-1-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-piperidin-1-yl-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-(4-methyl-piperazin-1-yl)-2-oxo-1-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(4-methyl-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(4-chloro-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(4-methyl-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-2-piperidin-1-yl-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(4-chloro-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-2-piperidin-1-yl-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-dimethylcarbamo-yl-2-(4-methyl-2-oxo-2,3-dihydro-benzooxazol-6-yl)-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-(4-chloro-2-oxo-2,3-dihydro-benzooxazol-6-yl)-1-dimethylcarbamo-yl-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(4-methyl-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-2-(4-pyridin-4-yl-piperazin-1-yl)-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(4-chloro-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-2-(4-pyridin-4-yl-piperazin-1-yl)-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(4-ethyl-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-ethyl]-amide;

- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-2-oxo-1-(2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-methyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-chloro-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-ethyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(3-methyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(3,7-dimethyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-chloro-3-methyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-ethyl-3-methyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid isopropyl ester;
- 3-(7-Chloro-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid isopropyl ester;
- 3-(7-Ethyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid isopropyl ester;
- 3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid tert-butyl ester;

- 3-(7-Chloro-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid tert-butyl ester;
- 3-(7-Ethyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid tert-butyl ester;
- 5 3-(7-Chloro-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid cyclohexyl ester;
- 3-(7-Ethyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid cyclohexyl ester;
- 3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-methyl-piperidin-4-yl ester;
- 10 3-(7-Chloro-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-methyl-piperidin-4-yl ester;
- 3-(7-Ethyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-methyl-piperidin-4-yl ester;
- 15 3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-methyl-cyclohexyl ester;
- 3-(7-Chloro-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-methyl-cyclohexyl ester;
- 3-(7-Ethyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-methyl-cyclohexyl ester;
- 20 3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 4-phenyl-cyclohexyl ester;
- 3-(7-Chloro-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 4-phenyl-cyclohexyl ester;
- 25 3-(7-Ethyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 4-phenyl-cyclohexyl ester;
- 3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-benzyl-piperidin-4-yl ester;
- 3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-pyridin-4-yl-ethyl ester; and
- 30 3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-pyridin-3-yl-ethyl ester or pharmaceutically acceptable salts or solvates thereof.

39. A pharmaceutical composition comprising a compound according to claim 1.
40. A method of treating migraine in a patient in need thereof comprising the
5 administration of an antimigraine effective amount of a pharmaceutical composition comprising a compound according to claim 1.
41. An in vivo non-terminal method of identifying anti-migraine compounds comprising administering a CGRP-receptor agonist to a mammal in an amount
10 capable of inducing an increase in blood flow, followed by administering a test compound in an amount capable of reversing said CGRP-induced increase in blood flow, wherein said mammal is a transgenic mammal with humanized RAMP1 having Trp74 or a mammal endogenously expressing RAMP1 having Trp74.
- 15 42. An in vivo non-terminal method of identifying anti-migraine compounds comprising administering to a mammal a test compound prior to the delivery of a CGRP-receptor agonist wherein said CGRP-receptor agonist is administered in an amount capable of inducing an increase in blood flow and wherein said test
20 compound is administered in an amount capable of suppressing said CGRP-induced increase in blood flow, wherein said mammal is a transgenic mammal with humanized RAMP1 having Trp74 or a mammal endogenously expressing RAMP1 having Trp74.
- 25 43. An in vivo non-terminal method of identifying anti-migraine compounds comprising administering to a mammal a CGRP-receptor agonist in an amount capable of inducing an increase in peripheral artery diameter, followed by administering a test compound in an amount capable of reversing said CGRP-induced
30 increase in peripheral artery diameter, wherein said mammal is a transgenic mammal with humanized RAMP1 having Trp74 or a mammal endogenously expressing RAMP1 having Trp74.
44. An in vivo non-terminal method of identifying anti-migraine compounds comprising administering to a mammal a test compound prior to the delivery of a

CGRP-receptor agonist wherein said CGRP-receptor agonist is administered in an amount capable of inducing an increase in peripheral artery diameter and wherein said test compound is administered in an amount capable of suppressing said CGRP-induced increase in peripheral artery diameter, wherein said mammal is a transgenic mammal with humanized RAMP1 having Trp74) or a mammal endogenously expressing RAMP1 having Trp74.

45. A compound selected from the group consisting of
- (±)-3-(3-Cyano-1H-indol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid methyl ester;
 - (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(3-cyano-1H-indol-5-yl-methyl)-2-oxo-ethyl]-amide;
 - (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(3-cyano-7-methyl-1H-indol-5-yl-methyl)-2-oxo-ethyl]-amide;
 - (±)-3-(7-Isopropyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid methyl ester;
 - (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-isopropyl-1H-indazol-5-yl-methyl)-2-oxo-ethyl]-amide;
 - (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-ethyl-1H-indazol-5-yl-methyl)-2-oxo-ethyl]-amide;
 - (±)-4-(2,2-Dioxo-1,4-dihydro-2H-2λ⁶-benzo[1,2,6]thiadiazin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-methyl-1H-indazol-5-yl-methyl)-2-oxo-ethyl]-amide;
 - (±)-4-(2,2-Dioxo-1,4-dihydro-2H-2λ⁶-benzo[1,2,6]thiadiazin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-ethyl-3-methyl-1H-indazol-5-yl-methyl)-2-oxo-ethyl]-amide;
 - (±)-2-[4-(6-Cyano-2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino]-3-(7-methyl-1H-indazol-5-yl)-propionic acid methyl ester;
 - (±)-4-(6-Cyano-2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid {2-[1,4']bipiperidinyl-1'-yl-1-(7-methyl-1H-indazol-5-yl-methyl)-2-oxo-ethyl}-amide;

- (±)-4-(2-Oxo-1,2,4,5-tetrahydro-benzo[d][1,3]diazepin-3-yl)-1-carboxylic acid {2-[1,4']bipiperidinyl-1'-yl-1-(7-methyl-1H-indazol-5-yl methyl)-2-oxo-ethyl}-amide;
- (±)-4-(6-Hydroxy-2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid {2-[1,4']bipiperidinyl-1'-yl-1-(7-methyl-1H-indazol-5-yl methyl)-2-oxo-ethyl}-amide;
- 5 amide;
- (±)-4-(8-Methoxy-2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid {2-[1,4']bipiperidinyl-1'-yl-1-(7-methyl-1H-indazol-5-yl methyl)-2-oxo-ethyl}-amide;
- (±)-4-(8-Chloro-2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid {2-[1,4']bipiperidinyl-1'-yl-1-(7-methyl-1H-indazol-5-yl methyl)-2-oxo-ethyl}-amide;
- 10 amide;
- (±)-*N*-(3-(7-Ethyl-3-methyl-1H-indazol-5-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)-2',3'-dihydro-2'-oxospiro-(piperidine-4,4'-quinazoline)-1-carboxamide;
- 15 (±)-*N*-(3-(7-Ethyl-3-methyl-1H-indazol-5-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)-2,4-dihydro-2'-oxospiro-(piperidine-4,4'-1H-benzo[d][1,3]oxazine)-1-carboxamide;
- (±)-*N*-(3-(7-Ethyl-1H-indazol-5-yl)-1-(6,7-dihydro-1H-pyrazolo[4,3-*c*]pyridin-5(4H)-yl)-1-oxopropan-2-yl)-4-(1,2-dihydro-2-oxoquinazolin-3(4H)-yl)piperidine-1-carboxamide;
- 20 carboxamide;
- (±)-*N*-(3-(7-Ethyl-1H-indazol-5-yl)-1-(6,7-dihydro-7,7-dimethyl-1H-pyrazolo[4,3-*c*]pyridin-5(4H)-yl)-1-oxopropan-2-yl)-4-(1,2-dihydro-2-oxoquinazolin-3(4H)-yl)piperidine-1-carboxamide;
- (±)-Methyl 2-(4-(8-fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)piperidine-1-carboxamido)-3-(7-methyl-1H-indazol-5-yl)propanoate;
- 25 (±)-4-(8-Fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)-*N*-(3-(7-methyl-1H-indazol-5-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)piperidine-1-carboxamide;
- (±)-4-(8-Fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)-*N*-(3-(7-methyl-1H-indazol-5-yl)-1-oxo-1-(4-phenylpiperazin-1-yl)propan-2-yl)piperidine-1-carboxamide;
- 30 (±)-4-(8-Fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)-*N*-(1-(4-(4-fluorophenyl)piperazin-1-yl)-3-(7-methyl-1H-indazol-5-yl)-1-oxopropan-2-yl)piperidine-1-carboxamide;

- (±)-4-(8-Fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)-*N*-(1-(4-(2-fluorophenyl)piperazin-1-yl)-3-(7-methyl-1H-indazol-5-yl)-1-oxopropan-2-yl)piperidine-1-carboxamide;
- (±)-4-(8-Fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)-*N*-(3-(7-methyl-1H-indazol-5-yl)-1-oxo-1-(4-*o*-tolylpiperazin-1-yl)propan-2-yl)piperidine-1-carboxamide;
- 5 (±)-Methyl 2-(4-(8-fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)piperidine-1-carboxamido)-3-(7-ethyl-3-methyl-1H-indazol-5-yl)propanoate;
- (±)-*N*-(3-(7-Ethyl-3-methyl-1H-indazol-5-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)-4-(8-fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)piperidine-1-
- 10 carboxamide;
- (*R*)-*N*-((*R*)-3-(2-Oxo-2,3-dihydro-benzooxazol-6-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)-4-(8-fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)piperidine-1-carboxamide;
- (±)-*N*-(3-(7-Methyl-1H-indazol-5-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)-8'-fluoro-2',3'-dihydro-2'-oxospiro-(piperidine-4,4'-quinazoline)-1-
- 15 carboxamide;
- (±)-4-(8-Fluoro-1,2-dihydro-2,4-dioxoquinazolin-3(4H)-yl)-*N*-(3-(7-methyl-1H-indazol-5-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)piperidine-1-carboxamide;
- 20 *N*-((*R*)-3-(2-(trifluoromethyl)-1*H*-benzo[*d*]imidazol-5-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)-4-(1,2-dihydro-2-oxoquinazolin-3(4*H*)-yl)piperidine-1-carboxamide;
- N*-((*R*)-1-(dimethylcarbamoyl)-2-(2-(trifluoromethyl)-1*H*-benzo[*d*]imidazol-5-yl)ethyl)-4-(1,2-dihydro-2-oxoquinazolin-3(4*H*)-yl)piperidine-1-carboxamide;
- 25 (*R*)-methyl 2-(4-(1,2-dihydro-2-oxoquinazolin-3(4*H*)-yl)piperidine-1-carboxamido)-3-(2,3-dihydro-2-oxo-1*H*-benzo[*d*]imidazol-6-yl)propanoate;
- N*-((*R*)-3-(2,3-dihydro-2-oxo-1*H*-benzo[*d*]imidazol-6-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidine-1-yl)propan-2-yl)-4-(1,2-dihydro-2-oxoquinazolin-3(4*H*)-yl)piperidine-1-carboxamide;
- 30 *N*-((*R*)-1-(dimethylcarbamoyl)-2-(2,3-dihydro-2-oxo-1*H*-benzo[*d*]imidazol-6-yl)ethyl)-4-(1,2-dihydro-2-oxoquinazolin-3(4*H*)-yl)piperidine-1-carboxamide;

- N*-((*R*)-3-(2,3-dihydro-2-oxo-1*H*-benzo[*d*]imidazol-6-yl)-1-oxo-1-(4-piperidin-1-yl)piperidine-1-yl)propan-2-yl)-4-(2',3'-dihydro-2'-oxospiro(piperidine-4,4'-(1*H*)-quinazoline)carboxamide;
- 4-(1,2-dihydro-2,4-dioxoquinazolin-3(4*H*)-yl)-*N*-((*R*)-3-(7-methyl-1*H*-benzo[*d*][1,2,3]triazol-5-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)piperidine-1-carboxamide;
- (*R*)-4-(2-Oxo-1,4-dihydro-2*H*-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-(4-cyclohexyl-piperazin-1-yl)-2-oxo-1-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-ethyl]-amide;
- 10 (*R*)-4-(2-Oxo-1,4-dihydro-2*H*-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-(4-isopropyl-piperazin-1-yl)-2-oxo-1-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-ethyl]-amide;
- (*R*)-*N*-((*R*)-3-(2-Oxo-2,3-dihydro-benzooxazol-6-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)-2,4-dihydro-2'-oxospiro-(piperidine-4,4'-1*H*-benzo[*d*][1,3]oxazine)-1-carboxamide;
- 15 (*R*)-*N*-((*R*)-3-(2-Oxo-2,3-dihydro-benzooxazol-6-yl)-1-oxo-1-(4-(cyclohex-1-yl)piperazin-1-yl)propan-2-yl)-2,4-dihydro-2'-oxospiro-(piperidine-4,4'-1*H*-benzo[*d*][1,3]oxazine)-1-carboxamide;
- (*R*)-*N*-((*R*)-3-(2-Oxo-2,3-dihydro-benzooxazol-6-yl)-1-oxo-1-(4-(prop-2-yl)piperazin-1-yl)propan-2-yl)-2,4-dihydro-2'-oxospiro-(piperidine-4,4'-1*H*-benzo[*d*][1,3]oxazine)-1-carboxamide;
- 20 (*R*)-*N*-((*R*)-3-(2-Oxo-2,3-dihydro-benzooxazol-6-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)-2,4-dihydro-2'-oxospiro-(piperidine-4,4'-1*H*-quinazoline)-1-carboxamide;
- 25 (*R*)-*N*-((*R*)-3-(2-Oxo-2,3-dihydro-benzooxazol-6-yl)-1-oxo-1-(4-(cyclohex-1-yl)piperazin-1-yl)propan-2-yl)-2,4-dihydro-2'-oxospiro-(piperidine-4,4'-1*H*-quinazoline)-1-carboxamide;
- (*R*)-*N*-((*R*)-3-(2-Oxo-2,3-dihydro-benzooxazol-6-yl)-1-oxo-1-(4-(prop-2-yl)piperazin-1-yl)propan-2-yl)-2,4-dihydro-2'-oxospiro-(piperidine-4,4'-1*H*-quinazoline)-1-carboxamide;
- 30 (*R*)-4-(2-Oxo-1,4-dihydro-2*H*-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(4-chloro-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-ethyl]-amide;

- (*R*)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(5-chloro-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-ethyl]-amide;
- (*R*)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(4-bromo-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-ethyl]-amide;
- (*R*)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(5-bromo-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-ethyl]-amide;
- (*R*)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(4-iodo-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-ethyl]-amide;
- (±)-*N*-(1-Benzyl-2-hydroxy-ethyl)-2-(7-methyl-1H-indazol-5-ylmethyl)-4-oxo-4-[1,2'-dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidinyl]-butyramide;
- (±)-*N*-(1-Benzyl-2-hydroxy-ethyl)-2-(7-methyl-1H-indazol-5-ylmethyl)-4-oxo-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butyramide;
- (±)-Phenyl-acetic acid *N*'-{2-(7-methyl-1H-indazol-5-ylmethyl)-4-oxo-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butyryl}-hydrazide;
- (±)-1-[1,4']Bipiperidinyl-1'-yl-4-[4-(8-fluoro-2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-2-(7-methyl-1H-indazol-5-ylmethyl)-butane-1,4-dione;
- (±)-1-[1,4']Bipiperidinyl-1'-yl-2-(7-methyl-1H-indazol-5-ylmethyl)-4-[2',3'-dihydro-2'-oxospiro-(piperidine-4,4'-quinazoline)]-butane-1,4-dione;
- (±)-1-(4-Cyclohexyl-piperazin-1-yl)-2-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- (±)-1-[1,4']Bipiperidinyl-1'-yl-2-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- (±)-1-[1,4']Bipiperidinyl-1'-yl-2-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-4-[2',3'-dihydro-2'-oxospiro-(piperidine-4,4'-quinazoline)]-butane-1,4-dione;
- (±)-1-(4-cyclohexyl-piperazin-1-yl)-2-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-4-[2',3'-dihydro-2'-oxospiro-(piperidine-4,4'-quinazoline)]-butane-1,4-dione;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-(4-cyclohexyl-piperazin-1-yl)-1-(7-methyl-1H-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[4-(4-

- fluoro-phenyl)-piperazin-1-yl]-1-(7-methyl-1H-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- (±)-3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid tert-butyl ester;
- 5 (±)-3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-methyl cyclohexyl ester;
- (±)-3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-aza-bicyclo[2.2.2]oct-3-yl ester;
- (±)-3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid piperidin-4-yl ester;
- 10 (±)-4-(3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionyloxy)-piperidine-1-carboxylic acid tert-butyl ester;
- (±)-3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 3,4,5,6-tetrahydro-2H-[1,4']bipyridinyl-4-yl ester;
- 15 (±)-3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-diethylamino-1-methyl-ethyl ester;
- (±)-3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1,1-dimethyl-2-phenyl-ethyl ester;
- 20 (±)-3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1,1-dimethyl-3-phenyl-propyl ester;
- (±)-3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid ethyl ester;
- 25 (±)-1-(7-Methyl-1H-indazol-5-ylmethyl)-2-[1-pyridin-4-yl-methyl]-2-oxoethyl]-2',3'-dihydro-2'-oxospiro-[piperidine-4,4'-(1H)-quinazoline]-1-carboxamide;
- (±)-1-(7-Methyl-1H-indazol-5-ylmethyl)-2-[1-pyridin-4-yl-piperazinyl]-2-oxoethyl]-2',3'-dihydro-2'-oxospiro-[piperidine-4,4'-(1H)-quinazoline]-1-carboxamide;
- (±)-1-(7-Methyl-1H-indazol-5-ylmethyl)-2-[(2-dimethylamino-ethyl-ethyl carbamoyl)-2-oxoethyl]-2',3'-dihydro-2'-oxospiro-[piperidine-4,4'-(1H)-quinazoline]-1-carboxamide;
- 30 (±)-1-(7-Methyl-1H-indazol-5-ylmethyl)-2-[1-pyridin-4-yl-piperazinyl]-2-oxoethyl]-1',2'-dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidine]-1-carboxamide;

(±)-1-(7-Methyl-1H-indazol-5-ylmethyl)-2-[1-pyridin-2-yl-piperazinyl]-2-oxoethyl]-1',2'-dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidine]-1-carboxamide;
 (R)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(7-methyl-1H-indazol-5-ylmethyl)-2-oxo-ethyl]amide;
 5 and
 (R)-1-(7-Methyl-1H-indazol-5-ylmethyl)-2-[1,4-bipiperidin]-1-yl-2-oxoethyl]-2',3'-dihydro-2'-oxospiro-[piperidine-4,4'-(1H)-quinazoline]-1-carboxamide or a pharmaceutically acceptable salt or solvate thereof.

- 10 46. A compound selected from the group consisting of
 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(7-bromo-1H-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;
 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-oxo-1-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-(4-pyridin-4-yl-piperazin-1-yl)-ethyl]-
 15 amide;
 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-oxo-1-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-piperidin-1-yl-ethyl]-amide;
 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-(4-methyl-piperazin-1-yl)-2-oxo-1-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-ethyl]-
 20 amide;
 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(4-methyl-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-ethyl]-amide;
 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(4-methyl-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-2-piperidin-1-yl-ethyl]-
 25 amide;
 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(4-chloro-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-2-piperidin-1-yl-ethyl]-amide;
 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-dimethylcarbamoyl-2-(4-methyl-2-oxo-2,3-dihydro-benzooxazol-6-yl)-ethyl]-amide;
 30 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-(4-chloro-2-oxo-2,3-dihydro-benzooxazol-6-yl)-1-dimethylcarbamoyl-ethyl]-amide;

- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(4-methyl-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-2-(4-pyridin-4-yl-piperazin-1-yl)-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(4-chloro-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-2-(4-pyridin-4-yl-piperazin-1-yl)-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(4-ethyl-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(7-methyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(7-chloro-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(7-ethyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(3-methyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(3,7-dimethyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(7-chloro-3-methyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(7-ethyl-3-methyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 3-(7-Methyl-1H-indazol-5-yl)-2-{{[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid isopropyl ester};

- 3-(7-Chloro-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid isopropyl ester;
- 3-(7-Ethyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid isopropyl ester;
- 5 3-(7-Chloro-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid tert-butyl ester;
- 3-(7-Ethyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid tert-butyl ester;
- 10 3-(7-Chloro-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid cyclohexyl ester;
- 3-(7-Ethyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid cyclohexyl ester;
- 3-(7-Chloro-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-methyl-piperidin-4-yl ester;
- 15 3-(7-Ethyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-methyl-piperidin-4-yl ester;
- 3-(7-Chloro-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-methyl-cyclohexyl ester;
- 3-(7-Ethyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-methyl-cyclohexyl ester;
- 20 3-(7-Chloro-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 4-phenyl-cyclohexyl ester; and
- 3-(7-Ethyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 4-phenyl-cyclohexyl ester or a
- 25 pharmaceutically acceptable salt or solvate thereof.